ELSEVIER

Remote Sensing of Environment

www.elsevier.com/locate/sna

Author Index for Volumes 71–74

Allen, T. R., Kupfer, J. A.: Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce-Fir Forests, 74:482
Álvarez-Pérez, J., Marshall, S. J., Gregson, K.: Resolution Improvement of ERS Scatterometer Data Over Land by Wiener Filtering, 71:261
Andréfouët, S.: *See* Matsakis, P.
Andreoli, G.: *See* Solheim, I.
Armstrong, E. M.: Satellite Derived Sea Surface Temperature Variability Off California During the Upwelling Season, 73:1
Armstrong, R. L.: *See* Tait, A. B.
Aslan, Z.: *See* Orun, A. B.
Asner, G. P., Lobell, D. B.: A Biogeophysical Approach for Automated SWIR Unmixing of Soils and Vegetation, 74:99
Asner, G. P., Wessman, C. A., Bateson, C. A., Privette, J. L.: Impact of Tissue, Canopy, and Landscape Factors on the Hyperspectral Reflectance Variability of Arid Ecosystems, 74:69
Asner, G. P.: *See* Privette, J. L.
Asner, G. P.: *See* White, M. A.
Axelrad, P.: *See* Komjathy, A.

Bacour, C.: *See* Jacquemoud, S.
Baker, J.: *See* Luckman, A.
Ballans, H.: *See* Lagouarde, J.-P.
Ballast, A.: *See* de Jong, J.
Baret, F.: *See* Shabanov, N. V.
Barnsley, M. J., Hobson, P. D., Hyman, A. H., Lucht, W., Muller, J.-P., Strahler, A. H.: Characterizing the Spatial Variability of Broadband Albedo in a Semidesert Environment for MODIS Validation, 74:58
Barnsley, M. J.: *See* Lucht, W.
Barros, A. P.: *See* Bindlish, R.
Bateson, C. A.: *See* Asner, G. P.
Bauer, M. E.: *See* Stuckens, J.
Beardsley, D.: *See* Gill, S. J.
Beaubien, J.: *See* Cihlar, J.
Beaudoin, A.: *See* Castel, T.
Bégué, A.: *See* Nouvellon, Y.
Belchansky, G. I., Douglas, D. C.: Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, 73:307
Berg, J.: *See* Simpson, J. J.
Bijaoui, J.: *See* Durand, D.
Bindlish, R., Barros, A. P.: Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, 71:67
Birkett, C. M.: Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, 72:218
Blumberg, D. G., Freilikher, V., Lyalko, I. V., Vulfson, L. D., Kotlyar, A. L., Shevchenko, V. N., Ryabokonenko, A. D.: Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area and the Negev Desert, 71:309
Boissard, P.: *See* Zribi, M.
Boles, S. H., Verbyla, D. L.: Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, 72:1
Born, G. H.: *See* Komjathy, A.
Borys, R. D.: *See* Pérez, J. C.
Breaker, L. C., Krasnopolsky, V. M., Maturi, E. M.: GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, 73:198
Breaker, L. C.: *See* Krasnopolsky, V. M.
Briantais, J.-M.: *See* Flexas, J.
Brooks, M. W.: *See* Guenther, G. C.
Brown, D. G., Duh, J-D., Drzyzga, S. A.: Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, 71:106
Brown, L., Chen, J. M., Leblanc, S. G., Cihlar, J.: A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, 71:16
Brown de Colstoun, E.: *See* Daughtry, C. S. T.
Bryant, R.: *See* Qi, J.

Calvet, J.-C.: *See* Wigneron, J.-P.
Capolsini, P.: *See* Matsakis, P.
Carder, K. L.: *See* Hu, C.
Castel, T., Martinez, J.-M., Beaudoin, A., Wegmüller, U., Strozzi, T.: ERS INSAR Data for Remote Sensing Hilly Forested Areas, 73:73
Caumean, F.: *See* Durand, D.
Cerovic, Z.: *See* Flexas, J.
Chan, J. C.-W.: *See* DeFries, R. S.

REMOTE SENS. ENVIRON. 74:621–627 (2000)
©Elsevier Science Inc., 2000
655 Avenue of the Americas, New York, NY 10010

0034-4257/00/$–see front matter

Chang, D.-H., Islam, S.: Estimation of Soil Physical Properties Using Remote Sensing and Artificial Neural Network, 74:534
Chanzy, A.: *See* Wigneron, J.-P.
Chen, J.: *See* Cihlar, J.
Chen, J. M.: *See* Brown, L.
Cheng, K.-S., Yeh, H.-C., Tsai, C.-H.: An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, 73:46
Chopping, M.: *See* Rango, A.
Chopping, M. J.: Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, 74:163
Chopping, M. J.: Testing a LiSK BRDF Model with in Situ Bidirectional Reflectance Factor Measurements over Semiarid Grasslands, 74:287
Choudhury, B. J.: Evaluation of a Model Adaptable to Satellite Data for Estimating Daily Gross Photosynthesis, 71:133
Chunchuzov, I., Vachon, P. W., Li, X.: Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, 74:343
Chung, C-J. F.: *See* Schetselaar, E. M.
Ciarletti, V.: *See* Zribi, M.
Cihlar, J., Latifovic, R., Chen, J., Beaubien, J., Li, Z.: Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, 71:26
Cihlar, J., Latifovic, R., Chen, J., Beaubien, J., Li, Z., Magnussen, S.: Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, 72:127
Cihlar, J.: *See* Brown, L.
Cihlar, J.: *See* Fraser, R. H.
Conel, J.: *See* Privette, J. L.
Coops, N., Culvenor, D.: Utilizing Local Variance of Simulated High Spatial Resolution Imagery to Predict Spatial Pattern of Forest Stands, 71:248
Coppin, P. R.: *See* Stuckens, J.
Coraboeuf, D.: *See* Lagouarde, J.-P.
Culvenor, D.: *See* Coops, N.

Daughtry, C. S. T., Walthall, C. L., Kim, M. S., Brown de Colstoun, E., McMurtrey, J. E., III.: Estimating Corn Leaf Chlorophyll Concentration from Leaf and Canopy Reflectance, 74:229
Daughtry, C. S. T.: *See* Nagler, P. L.
de Bruin, S.: Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, 74:387
DeFries, R. S., Chan, J. C.-W.: Multiple Criteria for Evaluating Machine Learning Algorithms for Land Cover Classification from Satellite Data, 74:503
De Grandi, G.: *See* Mayaux, P.
de Jong, J., Klaassen, W., Ballast, A.: Rain Storage in Forests Detected with ERS Tandem Mission SAR, 72:170
de Leeuw, G.: *See* Veefkind, J. P.
Demarez, V., Gastellu-Etchegorry, J. P.: A Modeling Approach for Studying Forest Chlorophyll Content, 71:226
De Pauw, E.: *See* Thenkabail, P. S.
Derksen, C., LeDrew, E., Walker, A., Goodison, B.: Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, 71:297
Domingues, C. M., Gonçalves, G. A., Ghisolfi, R. D., Garcia, C. A. E., Advective Surface Velocities Dervived from Sequential Infrared Images in the Southwestern Atlantic Ocean, 73:218
Douglas, D. C.: *See* Belchansky, G. I.
Dozier, J.: *See* Nolin, A. W.
Drzyzga, S. A.: *See* Brown, D. G.
Dubovik, O.: *See* Smirnov, A.
Dugdale, G.: *See* Morland, J. C.
Duh, J-D.: *See* Brown, D. G.
Durand, D., Bijaoui, J., Cauneau, F.: Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, 73:152
Dymond, J. R.: *See* Shepherd, J. D.

Eck, T. F.: *See* Smirnov, A.
Elmore, A. J., Mustard, J. F., Manning, S. J., Lobell, D. B.: Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, 73:87
Emery, W. J.: Editor's Note, 73:115
Engelsen, O.: *See* Solheim, I.

Fenstermaker, L.: *See* McGwire, K.
Fielding, E.: *See* Kenward, T.
Flexas, J., Briantais, J.-M., Cerovic, Z., Medrano, H., Moya, I.: Steady-State and Maximum Chlorophyll Fluorescence Responses to Water Stress in Grapevine Leaves: A New Remote Sensing System, 73:283
Flores, L. A., Martínez, L. I.: Land Cover Estimation in Small Areas Using Ground Survey and Remote Sensing, 74:240
Forget, P.: *See* Lahet, F.
Foster, J. L.: *See* Tait, A. B.
Frangi, J.-P.: *See* Jacquemoud, S.
Fraser, R. H., Li, Z., Cihlar, J.: Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, 74:362
Freilikher, V.: *See* Blumberg, D. G.
French, A. N., Schmugge, T. J., Kustas, W. P.: Discrimination of Senescent Vegetation Using Thermal Emissivity Contrast, 74:249
Fromard, F.: *See* Proisy, C.
Fujiwara, G.: *See* Yokouchi, K.

Gamon, J. A.: *See* Serrano, L.
Gan, T. Y.: *See* Singh, P. R.
Ganapol, B. D.: *See* Yoshioka, H.
Gao, B.-C., Li, R.-R.: Quantitative Improvement in the Estimates of NDVI Values from Remotely Sensed Data by Correcting Thin Cirrus Scattering Effects, 74:494
Gao, X., Huete, A. R., Ni, W., Miura, T.: Optical-Biophysical Relationships of Vegetation Spectra without Background Contamination, 74:609
Garcia, C. A. E.: *See* Domingues, C. M.
García-Haro, F. J.: *See* Gilabert, M. A.
Garrison, J. L., Katzberg, S. J.: The Application of Reflected GPS Signals to Ocean Remote Sensing, 73:175
Garrison, J. L.: *See* Komjathy, A.
Gastellu-Etchegorry, J. P.: *See* Demarez, V.
Gelpi, C. G.: Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, 74:414
Gemmell, F.: Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, 72:46
Gemmell, F., McDonald, A. J.: View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, 72:139
Gemmill, W. H.: *See* Krasnopolsky, V. M.
Gerstl, S. A. W.: *See* Qin, W.
Gerth, M.: *See* Siegel, H.
Ghisolfi, R. D.: *See* Domingues, C. M.
Gilabert, M. A., García-Haro, F. J., Meliá, J.: A Mixture Modeling Approach to Estimate Vegetation Parameters for Heterogeneous Canopies in Remote Sensing, 72:328
Gill, S. J., Milliken, J., Beardsley, D., Warbington, R.: Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, 73:298
Gonçalves, G. A.: *See* Domingues, C. M.
González, A.: *See* Pérez, J. C.
Goodenough, D. G.: *See* Wulder, M.
Goodison, B.: *See* Derksen, C.
Goward, S. N.: *See* Nagler, P. L.
Gregson, K.: *See* Álvarez-Pérez, J.
Grimes, D. I. F.: *See* Morland, J. C.
Gross, H. N.: *See* Robinson, G. D.
Guenther, G. C., Brooks, M. W., LaRocque, P. E.: New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, 73:247
Guyon, D.: *See* Lagouarde, J.-P.

Hall, D. K.: *See* Tait, A. B.
Havstad, K.: *See* Rango, A.
Havstad, K. M., Kustas, W. P., Rango, A., Ritchie, J. C., Schmugge, T. J.: Jornada Experimental Range: A Unique Arid Land Location for Experiments to Validate Satellite Systems, 74:13
Herrera, F.: *See* Pérez, J. C.
Hewison, T. J.: *See* Morland, J. C.
Hill, G. J. E.: *See* Phinn, S. R.
Hill, J., Schütt, B.: Mapping Complex Patterns of Erosion and Stability in Dry Mediterranean Ecosystems, 74:557
Ho, C.-R., Kuo, N.-J., Zheng, Q., Soong, Y. S.: Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, 71:320
Ho, C.-R.: *See* Kuo, N.-J.
Hobson, P.: *See* Lucht, W.
Hobson, P. D.: *See* Barnsley, M. J.
Hoffmann, A. A.: *See* Siegert, F.
Holben, B. N.: *See* Smirnov, A.
Hosgood, B.: *See* Solheim, I.
Howarth, P.: *See* Treitz, P.
Hu, B., Inannen, K., Miller, J. R.: Retrieval of Leaf Area Index and Canopy Closure from CASI Data over the BOREAS Flux Tower Sites, 74:255
Hu, B., Lucht, W., Strahler, A. H., Schaaf, C. B., Smith, M.: Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, 71:119
Hu, C., Carder, K. L., Muller-Karger, F. E.: Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, 74:195
Huemmrich, K. F.: *See* Privette, J. L.
Huete, A. R.: *See* Gao, X.
Huete, A. R.: *See* Qi, J.
Huete, A. R.: *See* Yoshioka, H.
Hufford, G.: *See* Simpson, J. J.
Hwang, P. A., Krabill, W. B., Wright, W., Swift, R. N., Walsh, E. J.: Airborne Scanning Lidar Measurement of Ocean Waves, 73:236
Hyman, A. H.: *See* Barnsley, M. J.
Hyman, A. H.: *See* Lucht, W.

Inannen, K.: *See* Hu, B.
Islam, S.: *See* Chang, D.-H.

Jacquemoud, S., Bacour, C., Poilvé, H., Frangi, J.-P.: Comparison of Four Radiative Transfer Models to Simulate Plant Canopies Reflectance: Direct and Inverse Mode, 74:471
Jin, Z.: *See* Simpson, J. J.

Kafatos, M.: *See* Li, Z.
Karam, M. A.: *See* Proisy, C.
Katzberg, S. J.: *See* Garrison, J. L.
Kaufmann, H.: *See* Thiemann, S.
Kawamura, H.: *See* Luis, A. J.
Kawamura, H.: *See* Tanahashi, S.

Kawamura, H.: *See* Yokouchi, K.
Kenward, T., Lettenmaier, D. P., Wood, E. F., Fielding, E.: Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, 74:432
Kerr, Y.: *See* Nouvellon, Y.
Kerr, Y.: *See* Wigneron, J.-P.
Kerr, Y. H.: *See* Qi, J.
Kim, K. E.: *See* Schetselaar, E. M.
Kim, M. S.: *See* Daughtry, C. S. T.
Klaassen, W.: *See* de Jong, J.
Knyazikhin, Y.: *See* Shabanov, N. V.
Koelemeijer, R. B. A.: *See* Veefkind, J. P.
Kogan, F. N.: Satellite-Observed Sensitivity of World Land Ecosystems to El Niño/La Niña, 74:445
Komjathy, A., Zavorotny, V. U., Axelrad, P., Born, G. H., Garrison, J. L.: GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical Model, 73:162
Kotlyar, A. L.: *See* Blumberg, D. G.
Krabill, W. B.: *See* Hwang, P. A.
Krasnopolsky, V. M., Gemmill, W. H., Breaker, L. C.: A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, 73:133
Krasnopolsky, V. M.: *See* Breaker, L. C.
Kuo, N.-J., Zheng, Q., Ho, C.-R.: Satellite Observation of Upwelling along the Western Coast of the South China Sea, 74:463
Kuo, N.-J.: *See* Ho, C.-R.
Kupfer, J. A.: *See* Allen, T. R.
Kustas, W.: *See* Rango, A.
Kustas, W. P., Norman, J. M.: Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, 74:327
Kustas, W. P.: *See* French, A. N.
Kustas, W. P.: *See* Havstad, K. M.
Kuusk, A., Nilson, T.: A Directional Multispectral Forest Reflectance Model, 72:244

Lagouarde, J.-P., Ballans, H., Moreau, P., Guyon, D., Coraboeuf, D.: Experimental Study of Brightness Surface Temperature Angular Variations of Maritime Pine (*Pinus pinaster*) Stands, 72:17
Lahet, F., Ouillon, S., Forget, P.: A Three-Component Model of Ocean Color and Its Application in the Ebro River Mouth Area, 72:181
Lancaster, N., Schaber, G. G., Teller, J. T.: Orbital Radar Studies of Paleodrainages in the Central Namib Desert, 71:216
LaRocque, P. E.: *See* Guenther, G. C.
Latifovic, R.: *See* Cihlar, J.
Leblanc, S. G.: *See* Brown, L.
LeDrew, E.: *See* Derksen, C.
Le Hégarat-Mascle, S.: *See* Quesney, A.
Leone, A. P., Sommer, S.: Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), 72:346
Lettenmaier, D. P.: *See* Kenward, T.
Li, R.-R.: *See* Gao, B.-C.
Li, X.: *See* Chunchuzov, I.
Li, X.: *See* Ni, W.
Li, Z., Kafatos, M.: Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, 71:239
Li, Z.: *See* Cihlar, J.
Li, Z.: *See* Fraser, R. H.
Liljeberg, B. M.: *See* Michelson, D. B.
Lobell, D. B.: *See* Asner, G. P.
Lobell, D. B.: *See* Elmore, A. J.
Loumagne, C.: *See* Quesney, A.
Lowenthal, D. H.: *See* Pérez, J. C.
Lozano-García, D. F.: *See* Rio, J. N. R.
Lucht, W., Hyman, A. H., Strahler, A. H., Barnsley, M. J., Hobson, P., Muller, J.-P.: A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, 74:85
Lucht, W.: *See* Barnsley, M. J.
Lucht, W.: *See* Hu, B.
Luckman, A., Baker, J., Wegmüller, U.: Repeat-Pass Interferometric Coherence Measurements of Disturbed Tropical Forest from JERS and ERS Satellites, 73:350
Luis, A. J., Kawamura, H.: Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, 73:55
Lyalko, I. V.: *See* Blumberg, D. G.

Maas, S. J.: Linear Mixture Modeling Approach for Estimating Cotton Canopy Ground Cover using Satellite Multispectral Imagery, 72:304
Magnussen, S.: *See* Cihlar, J.
Malingreau, J-P.: *See* Mayaux, P.
Manning, S. J.: *See* Elmore, A. J.
Marshall, S. J.: *See* Álvarez-Pérez, J.
Martinez, J.-M.: *See* Castel, T.
Martínez, L. I.: *See* Flores, L. A.
Matsakis, P., Andréfouët, S., Capolsini, P.: Evaluation of Fuzzy Partitions, 74:516
Matsumoto, I.: *See* Yokouchi, K.
Matsuura, T.: *See* Tanahashi, S.
Maturi, E. M.: *See* Breaker, L. C.
Mayaux, P., De Grandi, G., Malingreau, J-P.: Central African Forest Cover Revisited: A Multisatellite Anaylsis, 71:183
McDonald, A. J.: *See* Gemmell, F.
McGwire, K., Minor, T., Fenstermaker, L.: Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, 72:360

McIntire, T.: *See* Simpson, J. J.
McMurtrey, J. E., III.: *See* Daughtry, C. S. T.
Medrano, H.: *See* Flexas, J.
Meliá, J.: *See* Gilabert, M. A.
Menges, C.: *See* Phinn, S. R.
Michelson, D. B., Liljeberg, B. M., Pilesjö, P.: Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, 71:1
Miller, J. R.: *See* Hu, B.
Miller, J. R.: *See* Zarco-Tejada, P. J.
Milliken, J.: *See* Gill, S. J.
Minor, T.: *See* McGwire, K.
Miura, T.: *See* Gao, X.
Miura, T.: *See* Yoshioka, H.
Mohammed, G. H.: *See* Zarco-Tejada, P. J.
Moran, M. S.: *See* Nouvellon, Y.
Moran, M. S.: *See* Qi, J.
Moreau, P.: *See* Lagouarde, J.-P.
Morland, J. C., Grimes, D. I. F., Dugdale, G., Hewison, T. J.: The Estimation of Land Surface Emissivities at 24 GHz to 157 GHz Using Remotely Sensed Aircraft Data, 73:323
Mougin, E.: *See* Proisy, C.
Moya, I.: *See* Flexas, J.
Muller, J.-P.: *See* Barnsley, M. J.
Muller, J.-P.: *See* Lucht, W.
Muller-Karger, F. E.: *See* Hu, C.
Mustard, J. F.: *See* Elmore, A. J.
Myneni, R. B.: *See* Shabanov, N. V.

Nagler, P. L., Daughtry, C. S. T., Goward, S. N.: Plant Litter and Soil Reflectance, 71:207
Natarajan, K.: *See* Orun, A. B.
Nemani, R. R.: *See* White, M. A.
Ni, W., Li, X.: A Coupled Vegetation-Soil Bidirectional Reflectance Model for a Semiarid Landscape, 74:113
Ni, W.: *See* Gao, X.
Niemann, K. O.: *See* Wulder, M.
Nilson, T: *See* Kuusk, A.
Noland, T. L.: *See* Zarco-Tejada, P. J.
Nolin, A. W., Dozier, J.: A Hyperspectral Method for Remotely Sensing the Grain Size of Snow, 74:207
Norman, J. M.: *See* Kustas, W. P.
Normand, M: *See* Quesney, A.
Nouvellon, Y., Seen, D. L., Rambal, S., Bégué, A., Moran, M. S., Kerr, Y., Qi, J.: Time Course of Radiation Use Efficiency in a Shortgrass Ecosystem: Consequences for Remotely Sensed Estimation of Primary Production, 71:43

Okuda, K.: *See* Yokouchi, K.
Olson, R.: *See* Privette, J. L.
Orun, A. B., Natarajan, K., Aslan, Z.: A Comparative Study of Meteosat, ECMWF, and Radiosonde Wind Vectors at Istanbul, 72:309
Ouillon, S.: *See* Lahet, F.

Paillé, J.: *See* Zribi, M.
Peñuelas, J.: *See* Serrano, L.
Pérez, J. C., Herrera, F., Rosa, F., González, A., Wetzel, M. A., Borys, R. D., Lowenthal, D. H.: Retrieval of Marine Stratus Cloud Droplet Size from NOAA-AVHRR Nighttime Imagery, 73:31
Phinn, S.: *See* Scarth, P.
Phinn, S. R., Menges, C., Hill, G. J. E., Stanford, M.: Optimizing Remotely Sensed Solutions for Monitoring, Modeling, and Managing Coastal Environments, 73:117
Pieri, D.: *See* Simpson, J. J.
Pilesjö P.: *See* Michelson, D. B.
Poilvé, H.: *See* Jacquemoud, S.
Privette, J. L., Asner, G. P., Conel, J., Huemmrich, K. F., Olson, R., Rango, A., Rahman, A. F., Thome, K., Walter-Shea, E. A.: The EOS Prototype Validation Exercise (PROVE) at Jornada: Overview and Lessons Learned, 74:1
Privette, J. L.: *See* Asner, G. P.
Privette, J. L.: *See* White, M. A.
Proisy, C., Mougin, E., Fromard, F., Karam, M. A.: Interpretation of Polarimetric Radar Signatures of Mangrove Forests, 71:56

Qi, J., Kerr, Y. H., Moran, M. S., Weltz, M., Huete, A. R., Sorooshian, S., Bryant, R.: Leaf Area Index Estimates Using Remotely Sensed Data and BRDF Models in a Semiarid Region, 73:18
Qi, J.: *See* Nouvellon, Y.
Qin, W., Gerstl, S. A. W.: 3-D Scene Modeling of Semidesert Vegetation Cover and its Radiation Regime, 74:145
Qong, M.: Sand Dune Attributes Estimated from SAR Images, 74:217
Quesney, A., Le Hégarat-Mascle, S., Taconet, O., Vidal-Madjar, D., Wigneron, J. P., Loumagne, C., Normand, M.: Estimation of Watershed Soil Moisture Index from ERS/SAR Data, 72:290
Rahman, A. F.: *See* Privette, J. L.
Rambal, S.: *See* Nouvellon, Y.
Rango, A., Chopping, M., Ritchie, J., Havstad, K., Kustas, W., Schmugge, T.: Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, 74:26
Rango, A.: *See* Havstad, K. M.
Rango, A.: *See* Privette, J. L.
Rio, J. N. R., Lozano-García, D. F.: Spatial Filtering of Radar Data (RADARSAT) for Wetlands (Brackish Marshes) Classification, 73:143
Ritchie, J.: *See* Rango, A.
Ritchie, J. C.: *See* Havstad, K. M.
Roberts, D. A.: *See* Serrano, L.

Robinson, G. D., Gross, H. N., Schott, J. R.: Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, 71:272
Rosa, F.: *See* Pérez, J. C.
Roujean, J-L.: A Parametric Hot Spot Model for Optical Remote Sensing Applications, 71:197
Running, S. W.: *See* White, M. A.
Ryabokonenko, A. D.: *See* Blumberg, D. G.

Sampson, P. H.: *See* Zarco-Tejada, P. J.
Sandmeier, S. R.: Acquisition of Bidirectional Reflectance Factor Data with Field Goniometers, 73:257
Scarth, P., Phinn, S.: Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, 71:141
Schaaf, C. B.: *See* Hu, B.
Schaber, G. G.: *See* Lancaster, N.
Schetselaar, E. M., Chung, C-J. F., Kim, K. E.: Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, 71:89
Schmugge, T.: *See* Rango, A.
Schmugge, T. J.: *See* French, A. N.
Schmugge, T. J.: *See* Havstad, K. M.
Schott, J. R.: *See* Robinson, G. D.
Schütt, B.: *See* Hill, J.
Seen, D. L.: *See* Nouvellon, Y.
Serrano, L., Ustin, S. L., Roberts, D. A., Gamon, J. A., Peñuelas, J.: Deriving Water Content of Chaparral Vegetation from AVIRIS Data, 74:570
Shabanov, N. V., Knyazikhin, Y., Baret, F., Myneni, R. B.: Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, 74:125
Shaw, A. G. P., Vennell, R.: A Front-Following Algorithm for AVHRR SST Imagery, 72:317
Shepherd, J. D., Dymond, J. R.: BRDF Correction of Vegetation in AVHRR Imagery, 74:397
Shevchenko, V. N.: *See* Blumberg, D. G.
Siegel, H., Gerth, M.: Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, 73:207
Siegert, F., Hoffmann, A. A.: The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, 72:64
Simpson, J. J., Hufford, G., Pieri, D., Berg, J.: Failures in Detecting Volcanic Ash from a Satellite-Based Technique, 72:191
Simpson, J. J., McIntire, T., Jin, Z., Stitt, J. R.: Improved Cloud Top Height Retrieval under Arbitrary Viewing and Illumination Conditions Using AVHRR Data, 72:95
Singh, P. R., Gan, T. Y.: Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, 74:275
Slutsker, I.: *See* Smirnov, A.
Smirnov, A., Holben, B. N., Eck, T. F., Dubovik, O., Slutsker, I.: Cloud-Screening and Quality Control Algorithms for the AERONET Database, 73:337
Smith, M.: *See* Hu, B.
Smith, R. B.: *See* Thenkabail, P. S.
Solheim, I., Engelsen, O., Hosgood, B., Andreoli, G.: Measurement and Modeling of the Spectral and Directional Reflection Properties of Lichen and Moss Canopies, 72:78
Sommer, S.: *See* Leone, A. P.
Soong, Y. S.: *See* Ho, C.-R.
Sorooshian, S.: *See* Qi, J.
Stammes, P.: *See* Veefkind, J. P.
Stanford, M.: *See* Phinn, S. R.
Steele, B. M.: Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, 74:545
Stehman, S. V.: Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, 72:35
Stitt, J. R.: *See* Simpson, J. J.
Strahler, A. H.: *See* Barnsley, M. J.
Strahler, A. H.: *See* Hu, B.
Strahler, A. H.: *See* Lucht, W.
Strozzi, T.: *See* Castel, T.
Stuckens, J., Coppin, P. R., Bauer, M. E.: Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, 71:282
Swift, R. N.: *See* Hwang, P. A.

Taconet, O.: *See* Quesney, A.
Taconet, O.: *See* Zribi, M.
Tait, A. B., Hall, D. K., Foster, J. L., Armstrong, R. L.: Utilizing Multiple Datasets for Snow-Cover Mapping, 72:111
Takahashi, T.: *See* Tanahashi, S.
Takeshi, K.: *See* Yokouchi, K.
Tanahashi, S., Kawamura, H., Matsuura, T., Takahashi, T., Yusa, H.: Improved Estimates of Hourly Insolation from GMS S-VISSR Data, 74:409
Tanis, F. J.: Introduction, 73:116
Teller, J. T.: *See* Lancaster, N.
Thenkabail, P. S., Smith, R. B., De Pauw, E.: Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, 71:158
Thiemann, S., Kaufmann, H.: Determination of Cholorophyll Content and Trophic State of Lakes Using Field Spectrometer and IRS-1C Satellite Data in the Mecklenburg Lake District, Germany, 73:227
Thome, K.: *See* Privette, J. L.
Tokola, T.: The Influence of Field Sample Data Location on Growing Stock Volume Estimation in

Landsat TM-Based Forest Inventory in Eastern Finland, 74:422.
Townsend, P. A.: A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, 72:253
Treitz, P., Howarth, P.: High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, 72:268
Tsai, C.-H.: *See* Cheng, K.-S.

Ustin, S. L.: *See* Serrano, L.

Vachon, P. W.: *See* Chunchuzov, I.
Veefkind, J. P., de Leeuw, G., Stammes, P., Koelemeijer, R. B. A.: Regional Distribution of Aerosol over Land, Derived from ATSR-2 and GOME, 74:377
Vennell, R.: *See* Shaw, A. G. P.
Verbyla, D. L.: *See* Boles, S. H.
Vidal-Madjar, D.: *See* Quesney, A.
Vulfson, L. D.: *See* Blumberg, D. G.

Waldteufel, P.: *See* Wigneron, J.-P.
Walker, A.: *See* Derksen, C.
Walsh, E. J.: *See* Hwang, P. A.
Walter-Shea, E. A.: *See* Privette, J. L.
Walthall, C. L.: *See* Daughtry, C. S. T.
Warbington, R.: *See* Gill, S. J.
Watson, K.: A Diurnal Animation of Thermal Images from a Day–Night Pair, 72:237
Wegmüller, U.: *See* Castel, T.
Wegmüller, U.: *See* Luckman, A.
Weltz, M.: *See* Qi, J.
Wessman, C. A.: *See* Asner, G. P.
Wetzel, M. A.: *See* Pérez, J. C.
White, M. A., Asner, G. P., Nemani, R. R., Privette, J. L., Running, S. W.: Measuring Fractional Cover and Leaf Area Index in Arid Ecosystems: Digital Camera, Radiation Transmittance, and Laser Altimetry Methods, 74:45
Wigneron, J.-P., Waldteufel, P., Chanzy, A., Calvet, J.-C., Kerr, Y.: Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), 73:270
Wigneron, J. P.: *See* Quesney, A.
Wood, E. F.: *See* Kenward, T.
Wright, W.: *See* Hwang, P. A.
Wulder, M., Niemann, K. O., Goodenough, D. G.: Local Maximum Filtering for the Extraction of Tree Locations and Basal Area from High Spatial Resolution Imagery, 73:103

Yeh, H.-C.: *See* Cheng, K.-S.
Yokouchi, K., Takeshi, K., Matsumoto, I., Fujiwara, G., Kawamura, H., Okuda, K.: OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, 73:188
Yoshioka, H., Miura, T., Huete, A. R., Ganapol, B. D.: Analysis of Vegetation Isolines in Red-NIR Reflectance Space, 74:313
Yusa, H.: *See* Tanahashi, S.

Zarco-Tejada, P. J., Miller, J. R., Mohammed, G. H., Noland, T. L.: Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, 74:582
Zarco-Tejada, P. J., Miller, J. R., Mohammed, G. H., Noland, T. L., Sampson, P. H.: Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data, 74:596
Zavorotny, V. U.: *See* Komjathy, A.
Zheng, Q.: *See* Ho, C.-R.
Zheng, Q.: *See* Kuo, N.-J.
Zribi, M., Ciarletti, V., Taconet, O.: Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, 73:65
Zribi, M., Ciarletti, V., Taconet, O., Paillé, J., Boissard, P.: Characterisation of the Soil Structure and Microwave Backscattering Based on Numerical Three-Dimensional Surface Representation: Analysis with a Fractional Brownian Model, 72:159

ELSEVIER

Remote Sensing of Environment

www.elsevier.com/locate/rse

Subject Index for Volumes 71–74

Accuracy Assessment

An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, K.-S. Cheng, H.-C. Yeh, C.-H. Tsai, 73:46

Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, B. M. Steele, 74:545

Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1

Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106

Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, W. P. Kustas, J. M. Norman, 74:327

The Influence of Field Sample Data Location on Growing Stock Volume Estimation in Landsat TM-Based Forest Inventory in Eastern Finland, T. Tokola, 74:422

Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87

A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253

Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, S. V. Stehman, 72:35

Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, S. J. Gill, J. Milliken, D. Beardsley, R. Warbington, 73:298

Aircraft Observations

Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, T. Kenward, D. P. Lettenmaier, E. F. Wood, E. Fielding, 74:432

The Estimation of Land Surface Emissivities at 24 GHz to 157 GHz Using Remotely Sensed Aircraft Data, J. C. Morland, D. I. F. Grimes, G. Dugdale, T. J. Hewison, 73:323

Algorithms

Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, G. I. Belchansky, D. C. Douglas, 73:307

Cloud-Screening and Quality Control Algorithms for the AERONET Database, A. Smirnov, B. N. Holben, T. F. Eck, O. Dubovik, I. Slutsker, 73:337

Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesj, 71:1

Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1

A Front-Following Algorithm for AVHRR SST Imagery, A. G. P. Shaw, R. Vennell, 72:317

Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163

Multiple Criteria for Evaluating Machine Learning Algorithms for Land Cover Classification from Satellite Data, R. S. DeFries, J. C.-W. Chan, 74:503

A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133

Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, P. R. Singh, T. Y. Gan, 74:275

Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26

Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127

Spatial Filtering of Radar Data (RADARSAT) for Wetlands (Brackish Marshes) Classification, J. Noriega Rivera Rio, D. F. Lozano-García, 73:143

Altimetry

Dynamically Active Areas in the South China Sea

REMOTE SENS. ENVIRON. 74:628–640 (2000)
©Elsevier Science Inc., 2000
655 Avenue of the Americas, New York, NY 10010

0034-4257/00/$–see front matter

Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320
Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, C. M. Birkett, 72:218

Animation
A Diurnal Animation of Thermal Images from a Day–Night Pair, K. Watson, 72:237

Area Estimation
Land Cover Estimation in Small Areas Using Ground Survey and Remote Sensing, L. A. Flores, L. I. Martínez, 74:240
Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, S. de Bruin, 74:387

Atmosphere Properties
Failures in Detecting Volcanic Ash from a Satellite-Based Technique, J. J. Simpson, G. Hufford, D. Pieri, J. Berg, 72:191
Regional Distribution of Aerosol over Land, Derived from ATSR-2 and GOME, J. Pepijn Veefkind, G. de Leeuw, P. Stammes, R. B. A. Koelemeijer, 74:377
Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, C. G. Gelpi, 74:414

Atmospheric Effects
Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, I. Chunchuzov, P. W. Vachon, X. Li, 74:343

AVHRR
BRDF Correction of Vegetation in AVHRR Imagery, J. D. Shepherd, J. R. Dymond, 74:397
Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1
Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183
The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
A Front-Following Algorithm for AVHRR SST Imagery, A. G. P. Shaw, R. Vennell, 72:317
Improved Cloud Top Height Retrieval under Arbitrary Viewing and Illumination Conditions Using AVHRR Data, J. J. Simpson, T. McIntire, Z. Jin, J. R. Stitt, 72:95
Interannual Variability of Vegetation in the United States and Its Relation to El Ni»o/Southern Oscillation, Z. Li, M. Kafatos, 71:239
Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163
Retrieval of Marine Stratus Cloud Droplet Size from NOAA–AVHRR Nighttime Imagery, J. C. Pérez, F. Herrera, F. Rosa, A. González, M. A. Wetzel, R. D. Borys, D. H. Lowenthal, 73:31
Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463
Satellite-Observed Sensitivity of World Land Ecosystems to El Niño/La Niña, F. N. Kogan, 74:445
Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119
Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, C. M. Birkett, 72:218
Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

Canopy Reflectance Modeling
Comparison of Four Radiative Transfer Models to Simulate Plant Canopies Reflectance: Direct and Inverse Mode, S. Jacquemoud, C. Bacour, H. Poilvé, J.-P. Frangi, 74:471
A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

Change Detection
Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce–Fir Forests, T. R. Allen, J. A. Kupfer, 74:482
Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362

Chlorophyll
Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, C. Hu, K. L. Carder, F. E. Muller-Karger, 74:195
Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, 74:582
Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data,

P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, P. H. Sampson, 74:596
Determination of Chlorophyll Content and Trophic State of Lakes Using Field Spectrometer and IRS-1C Satellite Data in the Mecklenburg Lake District, Germany, S. Thiemann, H. Kaufmann, 73:227
Estimating Corn Leaf Chlorophyll Concentration from Leaf and Canopy Reflectance, C. S. T. Daughtry, C. L. Walthall, M. S. Kim, E. Brown de Colstoun, J. E. McMurtrey III, 74:229
A Modeling Approach for Studying Forest Chlorophyll Content, V. Demarez, J. P. Gastellu-Etchegorry, 71:226
OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, K. Yokouchi, K. Takeshi, I. Matsumoto, G. Fujiwara, H. Kawamura, and K. Okuda, 73:188
Steady-State and Maximum Chlorophyll Fluorescence Responses to Water Stress in Grapevine Leaves: A New Remote Sensing System, J. Flexas, J.-M. Briantais, Z. Cerovic, H. Medrano, I. Moya, 73:283

Climate

Interannual Variability of Vegetation in the United States and Its Relation to El Ni»o/Southern Oscillation, Z. Li, M. Kafatos, 71:239

Clouds

Cloud-Screening and Quality Control Algorithms for the AERONET Database, A. Smirnov, B. N. Holben, T. F. Eck, O. Dubovik, I. Slutsker, 73:337
A Comparative Study of Meteosat, ECMWF, and Radiosonde Wind Vectors at Istanbul, A. B. Orun, K. Natarajan, Z. Aslan, 72:309
Improved Cloud Top Height Retrieval under Arbitrary Viewing and Illumination Conditions Using AVHRR Data, J. J. Simpson, T. McIntire, Z. Jin, J. R. Stitt, 72:95
Improved Estimates of Hourly Insolation from GMS S-VISSR Data, S. Tanahashi, H. Kawamura, T. Matsuura, T. Takahashi, H. Yusa, 74:409
Quantitative Improvement in the Estimates of NDVI Values for Remotely Sensed Data by Correcting Thin Cirrus Scattering Effects, B.-C. Gao, R.-R. Li, 74:494
Retrieval of Marine Stratus Cloud Droplet Size from NOAA–AVHRR Nighttime Imagery, J. C. Pérez, F. Herrera, F. Rosa, A. González, M. A. Wetzel, R. D. Borys, D. H. Lowenthal, 73:31

Coastal Environments

Advective Surface Velocities Derived from Sequential Infrared Images in the Southwestern Atlantic Ocean, C. M. Domingues, G. A. Gon‡alves, R. D. Ghisolfi, C. A. E. Garcia, 73:218
Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, C. Hu, K. L. Carder, F. E. Muller-Karger, 74:195
GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, L. C. Breaker, V. M. Krasnopolsky, E. M. Maturi, 73:198
New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247
OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, K. Yokouchi, K. Takeshi, I. Matsumoto, G. Fujiwara, H. Kawamura, and K. Okuda, 73:188
Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152
Optimizing Remotely Sensed Solutions for Monitoring, Modeling, and Managing Coastal Environments, S. R. Phinn, C. Menges, G. J. E. Hill, M. Stanford, 73:117
Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463
Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, H. Siegel, M. Gerth, 73:207
Spatial Filtering of Radar Data (RADARSAT) for Wetlands (Brackish Marshes) Classification, J. Noriega Rivera Rio, D. F. Lozano-García, 73:143
A Three-Component Model of Ocean Color and Its Application in the Ebro River Mouth Area, F. Lahet, S. Ouillon, P. Forget, 72:181
Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

Crops

Estimating Corn Leaf Chlorophyll Concentration from Leaf and Canopy Reflectance, C. S. T. Daughtry, C. L. Walthall, M. S. Kim, E. Brown de Colstoun, J. E. McMurtrey III, 74:229
Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, P. S. Thenkabail, R. B. Smith, E. De Pauw, 71:158
Land Cover Estimation in Small Areas Using Ground Survey and Remote Sensing, L. A. Flores, L. I. Martínez, 74:240
Linear Mixture Modeling Approach for Estimating Cotton Canopy Ground Cover using Satellite Multispectral Imagery, S. J. Mass, 72:304
Mapping Complex Patterns of Erosion and Stability in Dry Mediterranean Ecosystems, J. Hill, B. Schütt, 74:557
Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, S. de Bruin, 74:387

3D Modeling
3-D Scene Modeling of Semidesert Vegetation Cover and Its Radiation Regime, W. Qin, S. A. W. Gerstl, 74:145
Optical–Biophysical Relationships of Vegetation Spectra without Background Contamination, X. Gao, A. R. Huete, W. Ni, T. Miura, 74:609

Desert (*See also* Jornada)
Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, W. P. Kustas, J. M. Norman, 74:327
Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, K. McGwire, T. Minor, L. Fenstermaker, 72:360
Leaf Area Index Estimates Using Remotely Sensed Data and BRDF Models in a Semiarid Region, J. Qi, Y. H. Kerr, M. S. Moran, M. Weltz, A. R. Huete, S. Sorooshian, R. Bryant, 73:18
Orbital Radar Studies of Paleodrainages in the Central Namib Desert, N. Lancaster, G. G. Schaber, J. T. Teller, 71:216
Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87
Sand Dune Attributes Estimated from SAR Images, M. Qong, 74:217
Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area and the Negev Desert, D. G. Blumberg, V. Freilikher, I. V. Lyalko, L. D. Vulfson, A. L. Kotlyar, V. N. Shevchenko, A. D. Ryabokonenko, 71:309

El Niño/La Niña
Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320
Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, Z. Li, M. Kafatos, 71:239
Satellite-Observed Sensitivity of World Land Ecosystems to El Niño/La Niña, F. N. Kogan, 74:445

Environmental Damage
Cloud-Screening and Quality Control Algorithms for the AERONET Database, A. Smirnov, B. N. Holben, T. F. Eck, O. Dubovik, I. Slutsker, 73:337
Regional Distribution of Aerosol over Land, Derived from ATSR-2 and GOME, J. Pepijn Veefkind, G. de Leeuw, P. Stammes, R. B. A. Koelemeijer, 74:377

Estimating Production
Time Course of Radiation Use Efficiency in a Shortgrass Ecosystem: Consequences for Remotely Sensed Estimation of Primary Production, Y. Nouvellon, D. Lo Seen, S. Rambal, A. Bégué, M. S. Moran, Y. Kerr, J. Qi, 71:43

Field Measurements (*See also* Jornada)
Acquisition of Bidirectional Reflectance Factor Data with Field Goniometers, S. R. Sandmeier, 73:257

Fire
Comparison of Three AVHRR-Based Fire Detection Algorithms for Interior Alaska, S. H. Boles, D. L. Verbyla, 72:1
The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362

Floods
Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, H. Siegel, M. Gerth, 73:207

Forests
Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce–Fir Forests, T. R. Allen, J. A. Kupfer, 74:482
Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183
Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, 74:582
Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, P. H. Sampson, 74:596
Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, P. Scarth, S. Phinn, 71:141
A Directional Multispectral Forest Reflectance Model, A. Kuusk, T. Nilson, 72:244
ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73
Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106
Experimental Study of Brightness Surface Temperature Angular Variations of Maritime Pine (*Pinus pinaster*)

Stands, J.-P. Lagouarde, H. Ballans, P. Moreau, D. Guyon, D. Coraboeuf, 72:17
The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, P. Treitz, P. Howarth, 72:268
Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362
The Influence of Field Sample Data Location on Growing Stock Volume Estimation in Landsat TM-Based Forest Inventory in Eastern Finland, T. Tokola, 74:422
Interpretation of Polarimetric Radar Signatures of Mangrove Forests, C. Proisy, E. Mougin, F. Fromard, M. A. Karam, 71:56
Local Maximum Filtering for the Extraction of Tree Locations an Basal Area from High Spatial Resolution Imagery, M. Wulder, K. O. Niemann, D. G. Goodenough, 73:103
A Modeling Approach for Studying Forest Chlorophyll Content, V. Demarez, J. P. Gastellu-Etchegorry, 71:226
A Parametric Hot Spot Model for Optical Remote Sensing Applications, J.-L. Roujean, 71:197
A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253
Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170
Repeat-Pass Interferometric Coherence Measurements of Disturbed Tropical Forest from JERS and ERS Satellites, A. Luckman, J. Baker, U. Wegmüller, 73:350
Retrieval of Leaf Area Index and Canopy Closure from CASI Data over the BOREAS Flux Tower Sites, B. Hu, K. Inannen, J. R. Miller, 74:255
A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16
Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46
Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, S. J. Gill, J. Milliken, D. Beardsley, R. Warbington, 73:298
Utilizing Local Variance of Simulated High Spatial Resolution Imagery To Predict Spatial Pattern of Forest Stands, N. Coops, D. Culvenor, 71:248
View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, F. Gemmel, A. J. McDonald, 72:139

Fuzzy

Evaluation of Fuzzy Partitions, P. Matsakis, S. Andréfouët, P. Capolsini, 74:516
A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253

Gamma-Ray Spectrometry

Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89

Geology

Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89
Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), A. P. Leone, S. Sommer, 72:346
Orbital Radar Studies of Paleodrainages in the Central Namib Desert, N. Lancaster, G. G. Schaber, J. T. Teller, 71:216

Geometric-Optical Model

Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, P. Scarth, S. Phinn, 71:141
Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46
Utilizing Local Variance of Simulated High Spatial Resolution Imagery To Predict Spatial Pattern of Forest Stands, N. Coops, D. Culvenor, 71:248

GOES

GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, L. C. Breaker, V. M. Krasnopolsky, E. M. Maturi, 73:198

GPS

The Application of Reflected GPS Signals to Ocean Remote Sensing, J. L. Garrison, S. J. Katzberg, 73:175
GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical Model, A. Komjathy, V. U. Zavorotny, P. Axelrad, G. H. Born, J. L. Garrison, 73:162
New Capabilities of the "SHOALS" Airborne Lidar

Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247

Grasslands
Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
Testing a LiSK BRDF Model with in Situ Bidirectional Reflectance Factor Measurements over Semiarid Grasslands, M. J. Chopping, 74:287
Time Course of Radiation Use Efficiency in a Shortgrass Ecosystem: Consequences for Remotely Sensed Estimation of Primary Production, Y. Nouvellon, D. Lo Seen, S. Rambal, A. Bégué, M. S. Moran, Y. Kerr, J. Qi, 71:43

Hot Spot Model
A Parametric Hot Spot Model for Optical Remote Sensing Applications, J.-L. Roujean, 71:197

Hydrologic Modeling
Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, T. Kenward, D. P. Lettenmaier, E. F. Wood, E. Fielding, 74:432

Images
An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, K.-S. Cheng, H.-C. Yeh, C.-H. Tsai, 73:46
Evaluation of Fuzzy Partitions, P. Matsakis, S. Andréfouët, P. Capolsini, 74:516
Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, G. D. Robinson, H. N. Gross, J. R. Schott, 71:272
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127

Integral Equation Model
Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, R. Bindlish, A. P. Barros, 71:67

Jornada, New Mexico, Experimental Range
A Biogeophysical Approach for Automated SWIR Unmixing of Soils and Vegetation, G. P. Asner, D. B. Lobell, 74:99
Characterizing the Spatial Variability of Broadband Albedo in a Semidesert Environment for MODIS Validation, M. J. Barnsley, P. D. Hobson, A. H. Hyman, W. Lucht, J.-P. Muller, A. H. Strahler, 74:58
A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, W. Lucht, A. H. Hyman, A. H. Strahler, M. J. Barnsley, P. Hobson, J.-P. Muller, 74:85
A Coupled Vegetation–Soil Bidirectional Reflectance Model for a Semiarid Landscape, W. Ni, X. Li, 74:113
3-D Scene Modeling of Semidesert Vegetation Cover and Its Radiation Regime, W. Qin, S. A. W. Gerstl, 74:145
The EOS Prototype Validation Exercise (PROVE) at Jornada: Overview and Lessons Learned, J. L. Privette, G. P. Asner, J. Conel, K. F. Huemmrich, R. Olson, A. Rango, A. F. Rahman, K. Thome, E. A. Walter-Shea, 74:1
Impact of Tissue, Canopy, and Landscape Factors on the Hyperspectral Reflectance Variability of Arid Ecosystems, G. P. Asner, C. A. Wessman, C. A. Bateson, J. L. Privette, 74:69
Jornada Experimental Range: A Unique Arid Land Location for Experiments to Validate Satellite Systems, K. M. Havstad, W. P. Kustas, A. Rango, J. C. Ritchie, T. J. Schmugge, 74:13
Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163
Measuring Fractional Cover and Leaf Area Index in Arid Ecosystems: Digital Camera, Radiation Transmittance, and Laser Altimetry Methods, M. A. White, G. P. Asner, R. R. Nemani, J. L. Privette, S. W. Running, 74:45
Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, N. V. Shabanov, Y. Knyazikhin, F. Baret, R. B. Myneni, 74:125

Lakes
Determination of Chlorophyll Content and Trophic State of Lakes Using Field Spectrometer and IRS-1C Satellite Data in the Mecklenburg Lake District, Germany, S. Thiemann, H. Kaufmann, 73:227
Synergistic Remote Sensing of Lake Chad: Variability of Basin Inundation, C. M. Birkett, 72:218

Land Cover
Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, B. M. Steele, 74:545
Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesjö, 71:1

Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, J. Stuckens, P. R. Coppin, M. E. Bauer, 71:282
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127
Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119

Landsat TM

Application of Spherical Statistics to Change Vector Analysis of Landsat Data: Southern Appalachian Spruce–Fir Forests, T. R. Allen, J. A. Kupfer, 74:482
Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesjö, 71:1
Determining Forest Structural Attributes Using an Inverted Geometric-Optical Model in Mixed Eucalypt Forests, Southeast Queensland, Australia, P. Scarth, S. Phinn, 71:141
The Influence of Field Sample Data Location on Growing Stock Volume Estimation in Landsat TM-Based Forest Inventory in Eastern Finland, T. Tokola, 74:422
Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, J. Stuckens, P. R. Coppin, M. E. Bauer, 71:282
A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

Landscape Metrics

Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106

Leaf Area Index

Leaf Area Index Estimates Using Remotely Sensed Data and BRDF Models in a Semiarid Region, J. Qi, Y. H. Kerr, M. S. Moran, M. Weltz, A. R. Huete, S. Sorooshian, R. Bryant, 73:18
Measuring Fractional Cover and Leaf Area Index in Arid Ecosystems: Digital Camera, Radiation Transmittance, and Laser Altimetry Methods, M. A. White, G. P. Asner, R. R. Nemani, J. L. Privette, S. W. Running, 74:45
Retrieval of Leaf Area Index and Canopy Closure from CASI Data over the BOREAS Flux Tower Sites, B. Hu, K. Inannen, J. R. Miller, 74:255
A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

Lidar

Airborne Scanning Lidar Measurement of Ocean Waves, P. A. Hwang, W. B. Krabill, W. Wright, R. N. Swift, E. J. Walsh, 73:236
Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247

Magnetic Data

Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89

Mapping

Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, G. D. Robinson, H. N. Gross, J. R. Schott, 71:272
Integration of Landsat TM, Gamma-Ray, Magnetic, and Field Data to Discriminate Lithological Units in Vegetated Granite-Gneiss Terrain, E. M. Schetselaar, C.-J. F. Chung, K. E. Kim, 71:89
Using a Mensuration Approach with FIA Vegetation Plot Data to Assess the Accuracy of Tree Size and Crown Closure Classes in a Vegetation Map of Northeastern California, S. J. Gill, J. Milliken, D. Beardsley, R. Warbington, 73:298
Utilizing Multiple Datasets for Snow-Cover Mapping, A. B. Tait, D. K. Hall, J. L. Foster, R. L. Armstrong, 72:111

Microwave Sensing

Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, G. I. Belchansky, D. C. Douglas, 73:307
The Estimation of Land Surface Emissivities at 24 GHz to 157 GHz Using Remotely Sensed Aircraft Data, J. C. Morland, D. I. F. Grimes, G. Dugdale, T. J. Hewison, 73:323
Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, C. Derksen, E. LeDrew, A. Walker, B. Goodison, 71:297
A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133

Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, P. R. Singh, T. Y. Gan, 74:275
Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270
Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

Mixture Models
Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, K. McGwire, T. Minor, L. Fenstermaker, 72:360

Neural Network
Estimation of Soil Physical Properties Using Remote Sensing and Artificial Neural Network, D.-H. Chang, S. Islam, 74:534
A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133

North American Landscape Characterization (NALC)
Estimating Error in an Analysis of Forest Fragmentation Change Using North American Landscape Characterization (NALC) Data, D. G. Brown, J.-D. Duh, S. A. Drzyzga, 71:106

Ocean (*See also* Sea Surface Properties)
Atmospheric Correction of SeaWiFS Imagery over Turbid Coastal Waters: A Practical Method, C. Hu, K. L. Carder, F. E. Muller-Karger, 74:195
Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320
A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133
New Capabilities of the "SHOALS" Airborne Lidar Bathymeter, G. C. Guenther, M. W. Brooks, P. E. LaRocque, 73:247
Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152
Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, C. G. Gelpi, 74:414
Satellite Derived Sea Surface Temperature Variability Off California During the Upwelling Season, E. M. Armstrong, 73:1
A Three-Component Model of Ocean Color and Its Application in the Ebro River Mouth Area, F. Lahet, S. Ouillon, P. Forget, 72:181
Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

Ocean Color
OCTS-Derived Chlorophyll-*a* Concentration and Oceanic Structure in the Kuroshio Frontal Region off the Joban/Kashima Coast of Japan, K. Yokouchi, K. Takeshi, I. Matsumoto, G. Fujiwara, H. Kawamura, and K. Okuda, 73:188

Optical Remote Sensing
Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152
A Parametric Hot Spot Model for Optical Remote Sensing Applications, J.-L. Roujean, 71:197

Photosynthesis
Evaluation of a Model Adaptable to Satellite Data for Estimating Daily Gross Photosynthesis, B. J. Choudhury, 71:133

Plant Litter
Plant Litter and Soil Reflectance, P. L. Nagler, C. S. T. Daughtry, S. N. Goward, 71:207

Radar
Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, I. Chunchuzov, P. W. Vachon, X. Li, 74:343
Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183
Comparison of Algorithms for Classifying Swedish Landcover Using Landsat TM and ERS-1 SAR Data, D. B. Michelson, B. M. Liljeberg, P. Pilesjö, 71:1
ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73
Estimation of Watershed Soil Moisture Index from ERS/SAR Data, A. Quesney, S. Le Hégarat-Mascle, O. Taconet, D. Vidal-Madjar, J. P. Wigneron, C. Loumagne, M. Normand, 72:290
The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
Interpretation of Polarimetric Radar Signatures of Mangrove Forests, C. Proisy, E. Mougin, F. Fromard, M. A. Karam, 71:56
Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, R. Bindlish, A. P. Barros, 71:67

Orbital Radar Studies of Paleodrainages in the Central Namib Desert, N. Lancaster, G. G. Schaber, J. T. Teller, 71:216
Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170
Repeat-Pass Interferometric Coherence Measurements of Disturbed Tropical Forest from JERS and ERS Satellites, A. Luckman, J. Baker, U. Wegmüller, 73:350
Resolution Improvement of ERS Scatterometer Data Over Land by Wiener Filtering, J. L. Álvarez-Pérez, S. J. Marshall, K. Gregson, 71:261
Sand Dune Attributes Estimated from SAR Images, M. Qong, 74:217
Spatial Filtering of Radar Data (RADARSAT) for Wetlands (Brackish Marshes) Classification, J. Noriega Rivera Rio, D. F. Lozano-García, 73:143
Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

Radiation Modeling
Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

Rain
The Estimation of Land Surface Emissivities at 24 GHz to 157 GHz Using Remotely Sensed Aircraft Data, J. C. Morland, D. I. F. Grimes, G. Dugdale, T. J. Hewison, 73:323
Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170

Reflectance Measurement
Acquisition of Bidirectional Reflectance Factor Data with Field Goniometers, S. R. Sandmeier, 73:257
A Biogeophysical Approach for Automated SWIR Unmixing of Soils and Vegetation, G. P. Asner, D. B. Lobell, 74:99
BRDF Correction of Vegetation in AVHRR Imagery, J. D. Shepherd, J. R. Dymond, 74:397
Characterizing the Spatial Variability of Broadband Albedo in a Semidesert Environment for MODIS Validation, M. J. Barnsley, P. D. Hobson, A. H. Hyman, W. Lucht, J.-P. Muller, A. H. Strahler, 74:58
A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, W. Lucht, A. H. Hyman, A. H. Strahler, M. J. Barnsley, P. Hobson, J.-P. Muller, 74:85
Deriving Water Content of Chaparral Vegetation from AVIRIS Data, L. Serrano, S. L. Ustin, D. A. Roberts, J. A. Gamon, J. Peñuelas, 74:570
Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, P. S. Thenkabail, R. B. Smith, E. De Pauw, 71:158
Impact of Tissue, Canopy, and Landscape Factors on the Hyperspectral Reflectance Variability of Arid Ecosystems, G. P. Asner, C. A. Wessman, C. A. Bateson, J. L. Privette, 74:69
Measurement and Modeling of the Spectral and Directional Reflection Properties of Lichen and Moss Canopies, I. Solheim, O. Engelsen, B. Hosgood, G. Andreoli, 72:78
A Modeling Approach for Studying Forest Chlorophyll Content, V. Demarez, J. P. Gastellu-Etchegorry, 71:226
Plant Litter and Soil Reflectance, P. L. Nagler, C. S. T. Daughtry, S. N. Goward, 71:207
Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119
Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46

Reflectance Modeling
A Coupled Vegetation–Soil Bidirectional Reflectance Model for a Semiarid Landscape, W. Ni, X. Li, 74:113
A Directional Multispectral Forest Reflectance Model, A. Kuusk, T. Nilson, 72:244
Large-Scale BRDF Retrieval over New Mexico with a Multiangular NOAA AVHRR Dataset, M. J. Chopping, 74:163
Leaf Area Index Estimates Using Remotely Sensed Data and BRDF Models in a Semiarid Region, J. Qi, Y. H. Kerr, M. S. Moran, M. Weltz, A. R. Huete, S. Sorooshian, R. Bryant, 73:18
A Mixture Modeling Approach to Estimate Vegetation Parameters for Heterogeneous Canopies in Remote Sensing, M. A. Gilabert, F. J. García-Haro, J. Meliá, 72:328
Optical Remote Sensing of Shallow-Water Environmental Parameters: A Feasibility Study, D. Durand, J. Bijaoui, F. Cauneau, 73:152
Retrieval of Leaf Area Index and Canopy Closure from CASI Data over the BOREAS Flux Tower Sites, B. Hu, K. Inannen, J. R. Miller, 74:255
Testing a LiSK BRDF Model with in Situ Bidirectional Reflectance Factor Measurements over Semiarid Grasslands, M. J. Chopping, 74:287
A Three-Component Model of Ocean Color and Its Application in the Ebro River Mouth Area, F. Lahet, S. Ouillon, P. Forget, 72:181

Resolution
Resolution Improvement of ERS Scatterometer Data

Over Land by Wiener Filtering, J. L. Álvarez-Pérez, S. J. Marshall, K. Gregson, 71:261
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 1: Methodology, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, 71:26
Selecting Representative High Resolution Sample Images for Land Cover Studies. Part 2: Application to Estimating Land Cover Composition, J. Cihlar, R. Latifovic, J. Chen, J. Beaubien, Z. Li, S. Magnussen, 72:127

Rivers
Satellite-Based Studies of the 1997 Oder Flood Event in the Southern Baltic Sea, H. Siegel, M. Gerth, 73:207

Sampling Inference
Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, S. V. Stehman, 72:35

Scatterometer
Resolution Improvement of ERS Scatterometer Data Over Land by Wiener Filtering, J. L. Álvarez-Pérez, S. J. Marshall, K. Gregson, 71:261
Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area and the Negev Desert, D. G. Blumberg, V. Freilikher, I. V. Lyalko, L. D. Vulfson, A. L. Kotlyar, V. N. Shevchenko, A. D. Ryabokonenko, 71:309

Sea Ice
Classification Methods for Monitoring Arctic Sea Ice Using OKEAN Passive/Active Two-Channel Microwave Data, G. I. Belchansky, D. C. Douglas, 73:307

Sea Surface Properties
Advective Surface Velocities Derived from Sequential Infrared Images in the Southwestern Atlantic Ocean, C. M. Domingues, G. A. Gonçalves, R. D. Ghisolfi, C. A. E. Garcia, 73:218
Airborne Scanning Lidar Measurement of Ocean Waves, P. A. Hwang, W. B. Krabill, W. Wright, R. N. Swift, E. J. Walsh, 73:236
The Application of Reflected GPS Signals to Ocean Remote Sensing, J. L. Garrison, S. J. Katzberg, 73:175
Dynamically Active Areas in the South China Sea Detected from TOPEX/POSEIDON Satellite Altimeter Data, C.-R. Ho, N.-J. Kuo, Q. Zheng, Y. S. Soong, 71:320
GOES-8 Imagery as a New Source of Data to Conduct Ocean Feature Tracking, L. C. Breaker, V. M. Krasnopolsky, E. M. Maturi, 73:198
GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical Model, A. Komjathy, V. U. Zavorotny, P. Axelrad, G. H. Born, J. L. Garrison, 73:162
Satellite Derived Sea Surface Temperature Variability Off California During the Upwelling Season, E. M. Armstrong, 73:1
Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463
Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55

Shortwave Infrared
A Shortwave Infrared Modification to the Simple Ratio for LAI Retrieval in Boreal Forests: An Image and Model Analysis, L. Brown, J. M. Chen, S. G. Leblanc, J. Cihlar, 71:16

Snow
A Hyperspectral Method for Remotely Sensing the Grain Size of Snow, A. W. Nolin, J. Dozier, 74:207
Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, C. Derksen, E. LeDrew, A. Walker, B. Goodison, 71:297
Retrieval of Snow Water Equivalent Using Passive Microwave Brightness Temperature Data, P. R. Singh, T. Y. Gan, 74:275
Utilizing Multiple Datasets for Snow-Cover Mapping, A. B. Tait, D. K. Hall, J. L. Foster, R. L. Armstrong, 72:111

Soil Properties
Characterisation of the Soil Structure and Microwave Backscattering Based on Numerical Three-Dimensional Surface Representation: Analysis with a Fractional Brownian Model, M. Zribi, V. Ciarletti, O. Taconet, J. Paillé, P. Boissard, 72:159
Estimation of Soil Physical Properties Using Remote Sensing and Artificial Neural Network, D.-H. Chang, S. Islam, 74:534
Estimation of Watershed Soil Moisture Index from ERS/SAR Data, A. Quesney, S. Le Hégarat-Mascle, O. Taconet, D. Vidal-Madjar, J. P. Wigneron, C. Loumagne, M. Normand, 72:290
Mapping Complex Patterns of Erosion and Stability in Dry Mediterranean Ecosystems, J. Hill, B. Schütt, 74:557
Multifrequency Soil Moisture Inversion from SAR Measurements with the Use of IEM, R. Bindlish, A. P. Barros, 71:67
Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), A. P. Leone, S. Sommer, 72:346
Soil Moisture (Water-Content) Assessment by an Airborne Scatterometer: The Chernobyl Disaster Area

and the Negev Desert, D. G. Blumberg, V. Freilikher, I. V. Lyalko, L. D. Vulfson, A. L. Kotlyar, V. N. Shevchenko, A. D. Ryabokonenko, 71:309
Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270
Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

Spatial Modeling
An Anisotropic Spatial Modeling Approach for Remote Sensing Image Rectification, K.-S. Cheng, H.-C. Yeh, C.-H. Tsai, 73:46
Predicting the Areal Extent of Land-Cover Types Using Classified Imagery and Geostatistics, S. de Bruin, 74:387

Spatial Resolution
High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, P. Treitz, P. Howarth, 72:268
Local Maximum Filtering for the Extraction of Tree Locations an Basal Area from High Spatial Resolution Imagery, M. Wulder, K. O. Niemann, D. G. Goodenough, 73:103
Utilizing Local Variance of Simulated High Spatial Resolution Imagery To Predict Spatial Pattern of Forest Stands, N. Coops, D. Culvenor, 71:248

Spectral Data
A Comparison of Satellite-Derived Spectral Albedos to Ground-Based Broadband Albedo Measurements Modeled to Satellite Spatial Scale for a Semidesert Landscape, W. Lucht, A. H. Hyman, A. H. Strahler, M. J. Barnsley, P. Hobson, J.-P. Muller, 74:85
Evaluation of Two Applications of Spectral Mixing Models to Image Fusion, G. D. Robinson, H. N. Gross, J. R. Schott, 71:272
Linear Mixture Modeling Approach for Estimating Cotton Canopy Ground Cover using Satellite Multispectral Imagery, S. J. Mass, 72:304
Testing the Utility of Multi-angle Spectral Data for Reducing the Effects of Background Spectral Variations in Forest Reflectance Model Inversion, F. Gemmell, 72:46

Spectral Indices
Multivariate Analysis of Laboratory Spectra for the Assessment of Soil Development and Soil Degradation in the Southern Apennines (Italy), A. P. Leone, S. Sommer, 72:346
Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J Manning, D. B. Lobell, 73:87
View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, F. Gemmel, A. J. McDonald, 72:139

Statistics
Characterisation of the Soil Structure and Microwave Backscattering Based on Numerical Three-Dimensional Surface Representation: Analysis with a Fractional Brownian Model, M. Zribi, V. Ciarletti, O. Taconet, J. Paillé, P. Boissard, 72:159

Stochastic Modeling
Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, N. V. Shabanov, Y. Knyazikhin, F. Baret, R. B. Myneni, 74:125

Surface Temperature
Experimental Study of Brightness Surface Temperature Angular Variations of Maritime Pine (*Pinus pinaster*) Stands, J.-P. Lagouarde, H. Ballans, P. Moreau, D. Guyon, D. Coraboeuf, 72:17
Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270

Temporal
Improved Estimates of Hourly Insolation from GMS S-VISSR Data, S. Tanahashi, H. Kawamura, T. Matsuura, T. Takahashi, H. Yusa, 74:409
Influence of Sensor Overpass Time on Passive Microwave-Derived Snow Cover Parameters, C. Derksen, E. LeDrew, A. Walker, B. Goodison, 71:297
Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87

Thematic Mapping
Practical Implications of Design-Based Sampling Inference for Thematic Map Accuracy Assessment, S. V. Stehman, 72:35

Thermal Measurements
Discrimination of Senescent Vegetation Using Thermal Emissivity Contrast, A. N. French, T. J. Schmugge, W. P. Kustas, 74:249
A Diurnal Animation of Thermal Images from a Day–Night Pair, K. Watson, 72:237
A Front-Following Algorithm for AVHRR SST Imagery, A. G. P. Shaw, R. Vennell, 72:317

Topography
Effects of Digital Elevation Model Accuracy on Hydrologic Predictions, T. Kenward, D. P. Lettenmaier, E. F. Wood, E. Fielding, 74:432
ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73
Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico Derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
Sand Dune Attributes Estimated from SAR Images, M. Qong, 74:217

Validation (*See also* Jornada)
A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133
Validation of a Rough Surface Model Based on Fractional Brownian Geometry with SIRC and ERASME Radar Data over Orgeval, M. Zribi, V. Ciarletti, O. Taconet, 73:65

Vegetation Indices
Analysis of Vegetation Isolines in Red-NIR Reflectance Space, H. Yoshioka, T. Miura, A. R. Huete, B. D. Ganapol, 74:313
Hyperspectral Mixture Modeling for Quantifying Sparse Vegetation Cover in Arid Environments, K. McGwire, T. Minor, L. Fenstermaker, 72:360
Hyperspectral Vegetation Indices and Their Relationships with Agricultural Crop Characteristics, P. S. Thenkabail, R. B. Smith, E. De Pauw, 71:158
Interannual Variability of Vegetation in the United States and Its Relation to El Niño/Southern Oscillation, Z. Li, M. Kafatos, 71:239
A Mixture Modeling Approach to Estimate Vegetation Parameters for Heterogeneous Canopies in Remote Sensing, M. A. Gilabert, F. J. García-Haro, J. Meliá, 72:328
Optical–Biophysical Relationships of Vegetation Spectra without Background Contamination, X. Gao, A. R. Huete, W. Ni, T. Miura, 74:609
Plant Litter and Soil Reflectance, P. L. Nagler, C. S. T. Daughtry, S. N. Goward, 71:207
Surface Albedos and Angle-Corrected NDVI from AVHRR Observations of South America, B. Hu, W. Lucht, A. H. Strahler, C. B. Schaaf, M. Smith, 71:119
Quantifying Vegetation Change in Semiarid Environments: Precision and Accuracy of Spectral Mixture Analysis and the Normalized Difference Vegetation Index, A. J. Elmore, J. F. Mustard, S. J. Manning, D. B. Lobell, 73:87
Quantitative Improvement in the Estimates of NDVI Values for Remotely Sensed Data by Correcting Thin Cirrus Scattering Effects, B.-C. Gao, R.-R. Li, 74:494
View Zenith Angle Effects on the Forest Information Content of Three Spectral Indices, F. Gemmel, A. J. McDonald, 72:139

Vegetation Mapping
BRDF Correction of Vegetation in AVHRR Imagery, J. D. Shepherd, J. R. Dymond, 74:397
Central African Forest Cover Revisited: A Multisatellite Analysis, P. Mayaux, G. De Grandi, J.-P. Malingreau, 71:183
Combining Multiple Classifiers: An Application Using Spatial and Remotely Sensed Information for Land Cover Type Mapping, B. M. Steele, 74:545
ERS INSAR Data for Remote Sensing Hilly Forested Areas, T. Castel, J.-M. Martinez, A. Beaudoin, U. Wegmüller, T. Strozzi, 73:73
The 1998 Forest Fires in East Kalimantan (Indonesia): A Quantitative Evaluation Using High Resolution, Multitemporal ERS-2 SAR Images and NOAA-AVHRR Hotspot Data, F. Siegert, A. A. Hoffmann, 72:64
High Spatial Resolution Remote Sensing Data for Forest Ecosystem Classification: An Examination of Spatial Scale, P. Treitz, P. Howarth, 72:268
Hotspot and NDVI Differencing Synergy (HANDS): A New Technique for Burned Area Mapping over Boreal Forest, R. H. Fraser, Z. Li, J. Cihlar, 74:362
Integrating Contextual Information with per-Pixel Classification for Improved Land Cover Classification, J. Stuckens, P. R. Coppin, M. E. Bauer, 71:282
Morphological Characteristics of Shrub Coppice Dunes in Desert Grasslands of Southern New Mexico derived from Scanning LIDAR, A. Rango, M. Chopping, J. Ritchie, K. Havstad, W. Kustas, T. Schmugge, 74:26
Multiple Criteria for Evaluating Machine Learning Algorithms for Land Cover Classification from Satellite Data, R. S. DeFries, J. C.-W. Chan, 74:503
A Quantitative Fuzzy Approach to Assess Mapped Vegetation Classifications for Ecological Applications, P. A. Townsend, 72:253

Vegetation Properties
Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: I. Leaf-Level Measurements and Model Simulation, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, 74:582
Chlorophyll Fluorescence Effects on Vegetation Apparent Reflectance: II. Laboratory and Airborne Canopy-Level Measurements with Hyperspectral Data, P. J. Zarco-Tejada, J. R. Miller, G. H. Mohammed, T. L. Noland, P. H. Sampson, 74:596
Comparison of Four Radiative Transfer Models to Simulate Plant Canopies Reflectance: Direct and Inverse Mode, S. Jacquemoud, C. Bacour, H. Poilvé, J.-P. Frangi, 74:471
Deriving Water Content of Chaparral Vegetation from

AVIRIS Data, L. Serrano, S. L. Ustin, D. A. Roberts, J. A. Gamon, J. Peñuelas, 74:570
Discrimination of Senescent Vegetation Using Thermal Emissivity Contrast, A. N. French, T. J. Schmugge, W. P. Kustas, 74:249
Measurement and Modeling of the Spectral and Directional Reflection Properties of Lichen and Moss Canopies, I. Solheim, O. Engelsen, B. Hosgood, G. Andreoli, 72:78
Rain Storage in Forests Detected with ERS Tandem Mission SAR, J. de Jong, W. Klaassen, A. Ballast, 72:170
Steady-State and Maximum Chlorophyll Fluorescence Responses to Water Stress in Grapevine Leaves: A New Remote Sensing System, J. Flexas, J.-M. Briantais, Z. Cerovic, H. Medrano, I. Moya, 73:283
Stochastic Modeling of Radiation Regime in Discontinuous Vegetation Canopies, N. V. Shabanov, Y. Knyazikhin, F. Baret, R. B. Myneni, 74:125
Two-Dimensional Microwave Interferometer Retrieval Capabilities over Land Surfaces (SMOS Mission), J.-P. Wigneron, P. Waldteufel, A. Chanzy, J.-C. Calvet, Y. Kerr, 73:270

Volcanoes
Failures in Detecting Volcanic Ash from a Satellite-Based Technique, J. J. Simpson, G. Hufford, D. Pieri, J. Berg, 72:191

Water Properties
Deriving Water Content of Chaparral Vegetation from AVIRIS Data, L. Serrano, S. L. Ustin, D. A. Roberts, J. A. Gamon, J. Peñuelas, 74:570
Removing Path-Scattered Radiance from Over-Ocean Spectrometer Images for Water Vapor Estimation, C. G. Gelpi, 74:414

Wind
Analysis and Modeling of Atmospheric Gravity Waves Observed in RADARSAT SAR Images, I. Chunchuzov, P. W. Vachon, X. Li, 74:343
The Application of Reflected GPS Signals to Ocean Remote Sensing, J. L. Garrison, S. J. Katzberg, 73:175
A Comparative Study of Meteosat, ECMWF, and Radiosonde Wind Vectors at Istanbul, A. B. Orun, K. Natarajan, Z. Aslan, 72:309
Evaluating the Effects of Subpixel Heterogeneity on Pixel Average Fluxes, W. P. Kustas, J. M. Norman, 74:327
GPS Signal Scattering from Sea Surface: Wind Speed Retrieval Using Experimental Data and Theoretical Model, A. Komjathy, V. U. Zavorotny, P. Axelrad, G. H. Born, J. L. Garrison, 73:162
Improved Estimates of Hourly Insolation from GMS S-VISSR Data, S. Tanahashi, H. Kawamura, T. Matsuura, T. Takahashi, H. Yusa, 74:409
A Neural Network Multiparameter Algorithm for SSM/I Ocean Retrievals: Comparisons and Validations, V. M. Krasnopolsky, W. H. Gemmill, L. C. Breaker, 73:133
Satellite Observation of Upwelling along the Western Coast of the South China Sea, N.-J. Kuo, Q. Zheng, C.-R. Ho, 74:463
Wintertime Wind Forcing and Sea Surface Cooling Near the South India Tip Observed Using NSCAT and AVHRR, A. J. Luis, H. Kawamura, 73:55